

INC.

## Surebond (080)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 10/07/14 Supersedes: 04/03/14

Version: 1.0

www.kaufman products.net

21226-1131

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1. Product Identifier
Product Name: Surebond (080)
1.2. Intended Use of the Product
Use of the substance/mixture: Bonding agent, adhesive
1.3. Name, Address, and Telephone of the Responsible Party
Company
Kaufman Products, Inc.
3811 Curtis Avenue
Baltimore, MD 21226-1131
410-354-8600
http://www.kaufmanproducts.net/

800-424-9300

### 1.4. Emergency Telephone Number

Emergency Number :

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC - Day or Night

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the Substance or Mixture

Classification (GHS-US)	
Acute Toxicity 5	H303
Eye damage / Irritation 2B	H320
Sensative Skin 1A	H317
Respiratory irritant 3	H335

2.2. Label Elements GHS-US Labeling Hazard Pictograms (GHS-US)	: CHS07
Signal Word (GHS-US)	: Warning
Hazard Statements (GHS-US)	: H303 - May be harmful if swallowed H320 - Causes eye irritation
	H317 - May cause an allergic reaction H335 - May cause respiratory irritation
Precautionary Statements (GHS-US)	: P201 - Obtain special instructions before use
	P202 - Do not handle until all safety precautions have been read and understood
	P233 - Keep container tightly closed
	P261 - Avoid breathing mist, spray, vapors P273 - Avoid release to the environment
04/02/2014	EN (English US)

04/03/2014

EN (English US)

LIMITED WARRANTY We warrant our products to be of good quality and will replace material proved detective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, and Kaufman Products, and Kaufman Products, inc shall have no other liability with respect herefore. User shall determine the suitability of the product so therefore use of our products.



PRODUCTS INC.

21226-1131

800-637-6372 www.kaufman products.net

## Surebond (080)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear eye protection, protective clothing, protective gloves P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing P305+P351 - IF IN EYES : Rinse cautiously with water for several minutes P308+P313 - If exposed or concerned: Get medical advice/attention P312 - Call a POISON CENTER/doctor/physician if you feel unwell P370+P378 - In case of fire: Use appropriate media for extinction P391 - Collect spillage P403+P233 - Store in a well-ventilated place. Keep container tightly closed P235 - Keep cool P405 - Store locked up P501 - Dispose of contents/container to local, regional, national, and international regulations

#### 2.3. **Other Hazards**

No additional information available

Unknown Acute Toxicity (GHS-US) 2.4.

No data available

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Water	(CAS No) 7732-18-5	55-65	Not classified
Synthetic Dispersion	Proprietary	35-45	Not regulated

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

#### **Description of First Aid Measures** 4.1.

First-aid Measures General: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: May cause respiratory irritation. Harmful if inhaled.

Symptoms/Injuries After Inhalation: Harmful if inhaled. May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: Not established

For professional use only. Not for sale to or use by the general public.

LIMITED WARRANTY We warrant our products to be of good quality and will replace material proved detective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Ion makes no warranty or guarantee, expressed or implied, including warrantee of fitness or merchantability, respecting its products, and Kaufman Products, Inc shall have no other liability with respect herefore. User shall determine the subability of the product or the intended use and assume all risks and liability in connection thereto. Our salesmen, distributors and their salesmen have no authority to change the printed recommendations concerning the use of our products.



PRODUCTS INC.

MARYLAND 21226-1131

800-637-6372 www.kaufman products.net

## Surebond (080)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

## SECTION 5: FIREFIGHTING MEASURES

#### 5.1. **Extinguishing Media**

Suitable Extinguishing Media: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Use water spray, foam, dry chemical, or carbon dioxide

#### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable

Explosion Hazard: Not established

Reactivity: Release carbon dioxide or carbon monoxide

#### 5.3. Advice for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Use special care to avoid static electric charges. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Do not allow product to spread into the environment.

## 6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

## 6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

## Emergency Procedures: Ventilate area.

#### 6.2. **Environmental Precautions**

Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Methods for Cleaning Up: Collect spillage. Clear up spills immediately and dispose of waste safely.

#### 6.4. **Reference to Other Sections**

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling** 7.1.

Additional Hazards When Processed: No data available

Precautions for Safe Handling: Use in a well-ventilated area. Avoid breathing vapours, mist, spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: None

Storage Conditions: Keep container closed when not in use. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Incompatible Materials: Heat sources.

Storage Area: Store locked up. Store in a well-ventilated place. Keep cool.

04/03/2014

EN (English US)

LIMITED WARRANTY We warrant our products to be of good quality and will replace material proved detective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Ion makes no warranty or guarantee, expressed or implied, including warrantee of fitness or merchantability, respecting its products, and Kaufman Products, Inc shall have no other liability with respect herefore. User shall determine the subability of the product or the intended use and assume all risks and liability in connection thereto. Our salesmen, distributors and their salesmen have no authority to change the printed recommendations concerning the use of our products.



INC.

# Surebond (080)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Specific End Use(s) Bonding agent, adhesive 7.3.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. **Control Parameters: Not Applicable** 

#### 8.2. **Exposure Controls**

- : Ensure all national/local regulations are observed.
- **Appropriate Engineering Controls Personal Protective Equipment**
- : Protective clothing. Insufficient ventilation: wear respiratory protection. Gloves.

21226-1131

www.kaufman products.net



: Chemical goggles or safety glasses.

: Wear chemically resistant protective gloves.

- Wear suitable protective clothing. :
- Use a NIOSH-approved respirator or self-contained breathing apparatus whenever exposure may exceed established Occupational Exposure Limits.

### **Other Information**

## : When using, do not eat, drink or smoke. **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

SECTION 5: FITISICAL AND CHEMICAL PROPERTIES		
9.1. Information on Basic Physical and Chemical Properties		
Physical State : Liquid		
Appearance	: White. milky.	
Odor	: No data available	
Odor Threshold	: No data available	
рН	: No data available	
Relative Evaporation Rate (butylacetate=1)	: No data available	
Relative evaporation rate (ether=1)	: Slower than ether	
Melting Point	: No data available	
Freezing Point	: No data available	
Boiling Point	: 100 °C (212 °F)	
Flash Point	: Not flammable	
Auto-ignition Temperature	: No data available	
Decomposition Temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor Pressure	: No data available	
Relative Vapor Density at 20 °C	: Heavier than air	
Relative Density	: 1.06	
Solubility	: Water: Miscible	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity	: No data available	

EN (English US)

For professional use only. Not for sale to or use by the general public.

LIMITED WARRANTY We warrant our products to be of good quality and will replace material proved detective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Ion makes no warranty or guarantee, expressed or implied, including warranties of fitness or merchantability, respecting its products, and Kaufman Products, lne shall have no other liability with respect herefore. User shall determine the suitability of the product or the intended use and assume all risks and liability in connection thereto. Our salesmen, distributors and their salesmen have no authority to change the printed recommendations concerning the use of our products.



PRODUCTS INC.

AVENUE

21226-1131

800-637-6372 www.kaufman products.net

## Surebond (080)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 9.2. **Other Information**

**VOC** content

## SECTION 10 : STABILITY AND REACTIVITY

10.1 Reactivity: Stable under normal conditions

10.2 Chemical Stability: Stable

- 10.3 Possibility of Hazardous Reactions: Will not polymerize
- 10.4 Conditions to Avoid: Keep from freezing
- 10.5 Incompatible Materials: Strong acids. Strong oxidizers. Amines.
- 10.6 Hazardous Decomposition Products: Oxides of Carbon, Sulfur and Nitrogen

:0%

## SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Harmful if inhaled.

Water (7732-18-5)		
LD50 Oral Rat	> 90000 mg/kg	

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Skin irritation

Respiratory or Skin Sensitization: May cause respiratory irritation and allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: No

1

Reproductive Toxicity: Not classified.

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Harmful if inhaled.

Symptoms/Injuries After Inhalation: Harmful if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: No known effects.

## SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

**Ecology - General** 

: Not classified

#### 12.2. Persistence and Degradability

Surebond (080)

Persistence and Degradability Not established. May cause long-term adverse effects in the environment.		Not established. May cause long-term adverse effects in the environment.	
12.3. Bioa	2.3. Bioaccumulative Potential		
Surebond (080)			
Bioaccumulative Potential Not established.		Not established.	
12.4. Mobility in Soil No additional information available			

#### 12.5. Other Adverse Effects

**Other Information** 

: Avoid release to the environment.

For professional use only. Not for sale to or use by the general public.

LIMITED WARRANTY We warrant our products to be of good quality and will replace material proved detective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Ion makes no warranty or guarantee, expressed or implied, including warrantee of fitness or merchantability, respecting its products, and Kaufman Products, Inc shall have no other liability with respect herefore. User shall determine the subability of the product or the intended use and assume all risks and liability in connection thereto. Our salesmen, distributors and their salesmen have no authority to change the printed recommendations concerning the use of our products.



PRODUCTS INC.

AVENUE

MARYLAND 21226-1131

800-637-6372 www.kaufman products.net

## Surebond (080)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods 13.1.

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

1.0 %

Ecology – Waste Materials: No data available

**SECTION 14: TRANSPORT INFORMATION** 

14.1 In Accordance with DOT : NOT REGULATED

14.2 In Accordance with IMDG : NOT REGULATED

14.3 In Accordance with IATA : NOT REGULATED

**SECTION 15: REGULATORY INFORMATION** 

#### 15.1 **US Federal Regulations**

SARA Section 313 - Emission Reporting

Water (7732-18-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2 **US State Regulations**

## **SECTION 16: OTHER INFORMATION**

Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### **GHS Full Text Phrases:**

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Flam. Liq. 2	Flammable liquids Category 2
Repr. 1A	Reproductive toxicity Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H232	May form combustible dust concentrations in air
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

04/03/2014

For professional use only. Not for sale to or use by the general public.

LIMITED WARRANTY We warrant our products to be of good quality and will replace material proved detective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Ion makes no warranty or guarantee, expressed or implied, including warranties of fitness or merchantability, respecting its products, and Kaufman Products, lne shall have no other liability with respect herefore. User shall determine the suitability of the product or the intended use and assume all risks and liability in connection thereto. Our salesmen, distributors and their salesmen have no authority to change the printed recommendations concerning the use of our products.



21226-1131

www.kaufman products.net

INC.

Surebond (080)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

### LIMITED WARRANTY

We warrant our products to be of good quality and will replace material proved detective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Inc makes no warranty or guarantee, expressed or implied, including warranties of fitness or merchantability, respecting its products, and Kaufman Products, Inc shall have no other liability with respect hereto. User shall determine the suitability of the product or the intended use and assume all risks and liability in connection thereto. Our salesmen. distributors and their salesmen have no authority to change the printed recommendations concerning the use of our products.

### DISCLAIMER

The information provided in this Safety Data Sheet is believed to be accurate to the best of our knowledge, information and belief at the date of its publication. The information given is designed solely as a guide for the safe handling, use, processing, storage, transportation, disposal, and release by a person trained in chemical handling. This is not to be considered a warranty or quality specification. The information relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified on either the latest version of our product data sheet or safety data sheet. Users and handlers of this product should make their own investigations to determine the suitability of the information provided herein for their own purposes.

SDS US (GHS HazCom) - US Only 10 pt 2

LIMITED WARRANTY We warent our products to be of good quality and will replace material proved detective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Ion makes no warranty or guarantee, expressed or implied, including warrantee of fitness or merchantability, respecting its products, and Kaufman Products, Inc shall have no other liability with respect herefore. User shall determine the suitability of the product on the intended use and assume all risks and liability in connection thereto. Our salesmen, distributors and their salesmen have no authority to change the printed recommendations concerning the use of our products.