

RAUFMAN PRODUCTS INC. 3811 CURTIS AVENUE BALTIMORE, MARYLAND 21226-1131 410-354-8600 800-637-6372 www.kaufman products.net

Version: 1.0

# Sureweld (085)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 10/07/14 Supersedes: 04/03/14

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

## 1.1. Product Identifier

Product Name: Sureweld (085)

1.2. Intended Use of the Product

Use of the substance/mixture: Bonding agent, adhesive

1.3. Name, Address, and Telephone of the Responsible Party

#### Company

Kaufman Products, Inc. 3811 Curtis Avenue Baltimore, MD 21226-1131 410-354-8600

http://www.kaufmanproducts.net/

**1.4.** Emergency Telephone Number Emergency Number : 800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

### **SECTION 2: HAZARDS IDENTIFICATION**

#### 2.1. Classification of the Substance or Mixture

#### Classification (GHS-US)

Repr. 1A H360 Aquatic Acute 1 H400 Aquatic Chronic 1 H410

2.2. Label Elements

**GHS-US Labeling** 

Hazard Pictograms (GHS-US)







Signal Word (GHS-US)

: Danger

Hazard Statements (GHS-US) : H335 - May cause respiratory irritation

H360 - May damage fertility or the unborn child

H400 - Highly Toxic to aquatic life

H410 - Highly Toxic to aquatic life with long lasting effects

Precautionary Statements (GHS-US) : P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P261 - Avoid breathing mist, spray, vapors P273 - Avoid release to the environment

P280 - Wear eye protection, protective clothing, protective gloves P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower

04/03/2014 EN (English US) 1/9



**PRODUCTS** 

**3811 CURTIS AVENUE** 

BALTIMORE. MARYLAND 21226-1131

800-637-6372 www.kaufman products.net

# Sureweld (085)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

PRODUCT

INFORMATION

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P308+P313 - If exposed or concerned: Get medical advice/attention P312 - Call a POISON CENTER/doctor/physician if you feel unwell P370+P378 - In case of fire: Use appropriate media for extinction

P391 - Collect spillage

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P235 - Keep cool P405 - Store locked up

P501 - Dispose of contents/container to local, regional, national, and international

regulations

#### 2.3. Other Hazards

No additional information available

### **Unknown Acute Toxicity (GHS-US)**

No data available

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substance

Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Water	(CAS No) 7732-18-5	55-60	Not classified
Synthetic Dispersion	Proprietary	30-40	Not regulated
Dibutyl phthalate	(CAS No) 84-74-2	3-6	Repr. 1A, H360 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H-phrases: see section 16

## **SECTION 4: FIRST AID MEASURES**

#### **Description of First Aid Measures**

First-aid Measures General: Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting.

### Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** May cause respiratory irritation. Harmful if inhaled.

Symptoms/Injuries After Inhalation: Harmful if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: May damage fertility. May damage the unborn child.



KAUFMAN PRODUCTS INC.

3811 CURTIS AVENUE BALTIMORE, MARYLAND 21226-1131 410-354-8600 800-637-6372 www.kaufman products.net

# Sureweld (085)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

## **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2). Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Use water spray, foam, dry chemical, or carbon dioxide

#### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable Explosion Hazard: Not established

Reactivity: Release carbon dioxide or carbon monoxide

#### 5.3. Advice for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures**: Use special care to avoid static electric charges. Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Do not allow product to spread into the environment.

#### 6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Collect spillage. Clear up spills immediately and dispose of waste safely.

#### 6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

#### 7.1. Precautions for Safe Handling

Additional Hazards When Processed: Handle empty containers with care because residual vapors are flammable.

**Precautions for Safe Handling:** Use only outdoors or in a well-ventilated area. Avoid breathing vapours, mist, spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use only non-sparking tools. Keep away from heat/sparks/open flames/hot surfaces. — No smoking.

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Proper grounding procedures to avoid static electricity should be followed. Ground/bond container and receiving equipment. Use explosion-proof lighting, ventilating, electrical equipment.

**Storage Conditions:** Keep container closed when not in use. Keep in fireproof place. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.



PRODUCTS INC.

3811 CURTIS AVENUE BALTIMORE, MARYLAND 21226-1131 410-354-8600 800-637-6372 www.kaufman products.net

# Sureweld (085)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Incompatible Materials: Heat sources.

Storage Area: Store locked up. Store in a well-ventilated place. Keep cool.

**7.3.** Specific End Use(s) Bonding agent, adhesive

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control Parameters

Dibutyl phthalate (84-74-2)		
USA ACGIH	ACGIH TWA (mg/m³)	5 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m <sup>3</sup>
USA IDLH	US IDLH (mg/m³)	4000 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m <sup>3</sup>

### 8.2. Exposure Controls

Flammability (solid, gas)

Appropriate Engineering Controls : Ensure all national/local regulations are observed. Gas detectors should be used

when flammable gases/vapours may be released. Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof equipment.

Personal Protective Equipment : Protective clothing. Insufficient ventilation: wear respiratory protection. Gloves.

Protective goggles.









**Materials for Protective Clothing** : Chemically resistant materials and fabrics.

**Hand Protection** : Wear chemically resistant protective gloves.

Eye Protection: Chemical goggles or safety glasses.Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection : Use a NIOSH-approved respirator or self-contained breathing apparatus whenever

exposure may exceed established Occupational Exposure Limits.

Other Information : When using, do not eat, drink or smoke.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on Basic Physical and Chemical Properties

**Physical State** : Liquid **Appearance** : White. milky. Odor No data available **Odor Threshold** : No data available No data available Relative Evaporation Rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) Slower than ether **Melting Point** : No data available **Freezing Point** : No data available **Boiling Point** : 100 °C (212 °F) Flash Point : Not flammable **Auto-ignition Temperature** : No data available **Decomposition Temperature** : No data available

: No data available



PRODUCTS INC.

3811 CURTIS AVENUE BALTIMORE, MARYLAND 21226-1131 410-354-8600 800-637-6372 www.kaufman products.net

# Sureweld (085)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor Pressure : No data available
Relative Vapor Density at 20 °C : Heavier than air

Relative Density : 1.06

Solubility: Water: MiscibleLog Pow: No data availableLog Kow: No data availableViscosity: No data available

9.2. Other Information

VOC content : 107 grams / Liter

## **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity: Stable under normal conditions

10.2 Chemical Stability: Stable

10.3 Possibility of Hazardous Reactions: Will not polymerize

10.4 Conditions to Avoid:

**10.5** Incompatible Materials: Strong acids. Strong oxidizers. Amines.

10.6 Hazardous Decomposition Products: Carbon oxides (CO, CO2). May release flammable gases.

### **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1. Information On Toxicological Effects

Acute Toxicity: Harmful if inhaled.

Dibutyl phthalate (84-74-2)		
LD50 Oral Rat	6300 mg/kg	
LD50 Dermal Rabbit	> 20 ml/kg	
LC50 Inhalation Rat (mg/l)	> 15.68 mg/l/4h	
Water (7732-18-5)		
LD50 Oral Rat	> 90000 mg/kg	

Skin Corrosion/Irritation: Not classified
Serious Eye Damage/Irritation: Not classified
Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: No

**Reproductive Toxicity:** May damage fertility or the unborn child.

**Specific Target Organ Toxicity (Single Exposure):** May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Harmful if inhaled.

Symptoms/Injuries After Inhalation: Harmful if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: May cause skin irritation.

Symptoms/Injuries After Eye Contact: Direct contact with the eyes is likely irritating. Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects. Chronic Symptoms: May cause cancer. May damage fertility. May damage the unborn child.

04/03/2014 EN (English US) 5/9



PRODUCTS INC. 3811 CURTI: AVENUE BALTIMORE, MARYLAND 21226-1131 410-354-8600 800-637-6372 www.kaufman products.net

# Sureweld (085)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### **SECTION 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

Ecology - General : Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

Dibutyl phthalate (84-74-2)	
LC50 Fish 1	0.71 - 1.2 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	2.99 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 Other Aquatic Organisms 1	1.2 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)
LC 50 Fish 2	0.31 - 5.45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

#### 12.2. Persistence and Degradability

zalar i dibibicines and a sepidadamity		
Sureweld (085)		
Persistence and Degradability	Not established. May cause long-term adverse effects in the environment.	

#### 12.3. Bioaccumulative Potential

Sureweld (085)	
Bioaccumulative Potential	Not established.

Dibutyl phthalate (84-74-2)	
Log Pow	5.38 (at 25 °C)

- 12.4. Mobility in Soil No additional information available
- 12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

Additional Information: Handle empty containers with care because residual vapors are flammable.

Ecology - Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

## **SECTION 14: TRANSPORT INFORMATION**

14.1 In Accordance with DOT: NOT REGULATED14.2 In Accordance with IMDG: NOT REGULATED14.3 In Accordance with IATA: NOT REGULATED

#### SECTION 15: REGULATORY INFORMATION

## 15.1 US Federal Regulations

SARA Section 302 Threshold Planning Quantity (TPQ)	1000	
Dibutyl phthalate (84-74-2)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		
Listed on SARA Section 313 (Specific toxic chemical listings)		
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule	
	under TSCA.	
SARA Section 313 - Emission Reporting	1.0 %	
Water (7732-18-5)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory		

### 15.2 US State Regulations

04/03/2014 EN (English US) 6/9



PRODUCTS INC.

3811 CURTIS AVENUE BALTIMORE, MARYLAND 21226-1131 410-354-8600 800-637-6372 www.kaufman products.net

# Sureweld (085)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dibutyl phthalate (84-74-2)	
U.S California - Proposition 65 - Developmental	WARNING: This product contains chemicals known to the State of
Toxicity	California to cause birth defects.
U.S California - Proposition 65 - Reproductive	WARNING: This product contains chemicals known to the State of
Toxicity - Female	California to cause (Female) reproductive harm.
U.S California - Proposition 65 - Reproductive	WARNING: This product contains chemicals known to the State of
Toxicity - Male	California to cause (Male) reproductive harm.

#### Dibutyl phthalate (84-74-2)

- U.S. California Priority Toxic Pollutants Human Health Criteria
- U.S. California Proposition 65 Maximum Allowable Dose Levels (MADL)
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Groundwater Quality Standards
- U.S. Colorado Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Water Quality Standards Consumption of Organisms Only
- U.S. Connecticut Water Quality Standards Consumption of Water and Organisms
- U.S. Connecticut Water Quality Standards Health Designations
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Maine Chemicals of High Concern
- U.S. Maryland Surface Water Quality Standards Consumption of Organisms Only
- U.S. Maryland Surface Water Quality Standards Consumption of Water and Organisms
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Toxics Use Reduction Act
- U.S. Michigan Occupational Exposure Limits TWAs
- U.S. Michigan Polluting Materials List
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Groundwater Health Risk Limits
- U.S. Minnesota Hazardous Substance List
- U.S. Minnesota Permissible Exposure Limits TWAs
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) 24-Hour
- U.S. New Hampshire Regulated Toxic Air Pollutants Ambient Air Levels (AALs) Annual
- U.S. New Jersey Discharge Prevention List of Hazardous Substances
- U.S. New Jersey Environmental Hazardous Substances List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. New Jersey Special Health Hazards Substances List



RAUFMAN PRODUCTS INC. 3811 CURTIS AVENUE BALTIMORE, MARYLAND 21226-1131 410-354-8600 800-637-6372 www.kaufman products.net

# Sureweld (085)

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- U.S. New Jersey Water Quality Ground Water Quality Criteria
- U.S. New Jersey Water Quality Practical Quantitation Levels (PQLs)
- U.S. New York Occupational Exposure Limits TWAs
- U.S. New York Reporting of Releases Part 597 List of Hazardous Substances
- U.S. North Dakota Air Pollutants Guideline Concentrations 8-Hour
- U.S. North Dakota Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. North Dakota Water Quality Standards Human Health Value for Class III
- U.S. North Dakota Water Quality Standards Human Health Value for Classes I, IA, II
- U.S. Oregon Permissible Exposure Limits TWAs
- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 1-Hour
- U.S. Rhode Island Air Toxics Acceptable Ambient Levels 24-Hour
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Aquatic Organisms Only
- U.S. Rhode Island Water Quality Standards Human Health Criteria for Consumption of Water and Aquatic Organisms
- U.S. South Carolina Toxic Air Pollutants Maximum Allowable Concentrations
- U.S. South Carolina Toxic Air Pollutants Pollutant Categories
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Hazardous Waste Hazardous Constituents
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Virginia Water Quality Standards Public Water Supply Effluent Limits
- U.S. Virginia Water Quality Standards Surface Waters Not Used for the Public Water Supply Effluent Limits
- U.S. Washington Dangerous Waste Dangerous Waste Constituents List
- U.S. Washington Dangerous Waste Discarded Chemical Products List
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 25 Feet to Less Than 40 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 40 Feet to Less Than 75 Feet
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights 75 Feet or Greater
- U.S. Wisconsin Hazardous Air Contaminants All Sources Emissions From Stack Heights Less Than 25 Feet

## **SECTION 16: OTHER INFORMATION**

**Other Information**: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### **GHS Full Text Phrases:**

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Carc. 2	Carcinogenicity Category 2
Comb. Dust	Combustible Dust
Flam. Liq. 2	Flammable liquids Category 2



KAUFMAN 3

3811 CURTIS AVENUE BALTIMORE, MARYLAND 21226-1131 410-354-8600 800-637-6372 www.kaufman products.net

## Sureweld (085)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Repr. 1A	Reproductive toxicity Category 1A
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H232	May form combustible dust concentrations in air
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

#### LIMITED WARRANTY

We warrant our products to be of good quality and will replace material proved detective. Satisfactory results depend not only upon quality products, but also upon many factors beyond our control. Therefore, except for such replacement, Kaufman Products, Inc makes no warranty or guarantee, expressed or implied, including warranties of fitness or merchantability, respecting its products, and Kaufman Products, Inc shall have no other liability with respect hereto. User shall determine the suitability of the product or the intended use and assume all risks and liability in connection thereto. Our salespeople, distributors, and their salespeople have no authority to change the printed recommendations concerning the use of our products.

#### DISCLAIMER

The information provided in this Safety Data Sheet is believed to be accurate to the best of our knowledge, information and belief at the date of its publication. The information given is designed solely as a guide for the safe handling, use, processing, storage, transportation, disposal, and release by a person trained in chemical handling. This is not to be considered a warranty or quality specification. The information relates only to the specific material designated, and may not be valid for such material used in combination with any other materials or in any process, unless specified on either the latest version of our product data sheet or safety data sheet. Users and handlers of this product should make their own investigations to determine the suitability of the information provided herein for their own purposes.

SDS US (GHS HazCom) - US Only 10 pt 2