



Product Description

Silicure Concentrate, is a concentrated curing, sealing, and hardening compound that dustproofs and hardens existing concrete, and provides proper curing of new, hard-troweled concrete. When used on freshly placed burnished or hard-troweled concrete, Silicure Concentrate meets the moisture retention requirements of ASTM C-309, without leaving a membrane that inhibits applications of floor covering systems. Silicure Concentrate promotes high quality concrete, by penetrating into the pores of the slab, to cure, harden, and dustproof the concrete.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

| Inventory Reporting Format | Threshold Level | Residuals/Impurities Evaluation | For all contents above the threshold, the manufacturer has: |
|--|--|---|--|
| <input checked="" type="radio"/> Nested Materials Method | <input checked="" type="radio"/> 100 ppm | Completed in 2 of 2 Materials | Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input type="radio"/> Basic Method | <input type="radio"/> 1,000 ppm | Explanation(s) provided for Residuals/Impurities? | <i>Provided weight and role.</i> |
| Threshold Disclosed Per | <input type="radio"/> Per GHS SDS | <input checked="" type="radio"/> Yes <input type="radio"/> No | Screened <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input type="radio"/> Material | <input type="radio"/> Other | | <i>Provided screening results using HPDC-approved methods.</i> |
| <input checked="" type="radio"/> Product | | | Identified <input checked="" type="radio"/> Yes <input type="radio"/> No |
| | | | <i>Provided name and CAS RN or other identifier.</i> |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ACCELERATOR | SODIUM SILICATE LT-P1 | END | SKI | EYE | WATER | WATER BM-4 |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l): 100

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

☐ Yes

☒ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-07-13

PUBLISHED DATE: 2023-12-15

EXPIRY DATE: 2026-07-13

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

| | | | |
|--|--|--|--|
| ACCELERATOR | | %: 80.0000 - 94.0000 | |
| PRODUCT THRESHOLD: 100 ppm | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes | MATERIAL TYPE: Other: Inorganic compound | |
| RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold by Quartz or Pharos databases are noted in this HPD. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold. | | | |
| OTHER MATERIAL NOTES: To protect confidentiality, percentages are shown in range. | | | |

| | | | | |
|---|---------------------------------------|--|---|-----------------------------|
| SODIUM SILICATE | | | | ID: 1344-09-8 |
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2023-07-13 1:58:50 | |
| %: 100.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Accelerator |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor | | |
| SKI | GHS - New Zealand | Skin corrosion category 1C | | |
| EYE | GHS - New Zealand | Serious eye damage category 1 | | |
| SKI | GHS - Australia | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes of Problematic Chemicals | | |
| | | Antimicrobials | | |
| SUBSTANCE NOTES: No impurities at or above 100 ppm. | | | | |

| | | | |
|----------------------------|--|-----------------------------|--|
| WATER | | %: 5.0000 - 15.0000 | |
| PRODUCT THRESHOLD: 100 ppm | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes | MATERIAL TYPE: Other: Water | |

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold by Quartz or Pharos databases are noted in this HPD. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The actual formulation has been covered to protect confidentiality.

WATER

ID: 7732-18-5

| | | | | |
|---|--|----------|--|-------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2023-07-18 2:01:32 | |
| %: 100.0000 | GreenScreen: BM-4 | RC: None | NANO: No | SUBSTANCE ROLE: Diluent |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No warnings found on HPD Priority Hazard Lists | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| EXEMPT | European Union / European Commission (EU EC) | | EU - REACH Exemptions | |
| | | | Exempted from REACH Annex IV listing due to intrinsic safety | |

SUBSTANCE NOTES: No residuals or impurities are available for this substance -Per the Pharos database.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | CDPH Standard Method - Not tested | |
|--|-----------------------------------|------------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2023-07-15 | CERTIFIER OR LAB: None |
| APPLICABLE FACILITIES: This is not a facility based declaration. | EXPIRY DATE: | |
| CERTIFICATE URL: | | |
| CERTIFICATION AND COMPLIANCE NOTES: | | |

| VOC CONTENT | MAS Certified Green - VOC Content | |
|--|-----------------------------------|---------------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2023-07-15 | CERTIFIER OR LAB: Kaufman |
| APPLICABLE FACILITIES: This is not a facility based certification. | EXPIRY DATE: | Products |
| CERTIFICATE URL: | | |
| CERTIFICATION AND COMPLIANCE NOTES: The VOC content = 0 grams/liter. | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

USES:

Silicure Concentrate is designed to be used as a curing agent, densifier, and hardener on freshly placed concrete that is to receive subsequent flooring materials. In addition, Silicure Concentrate may be used on aged concrete to reduce and/or eliminate dusting and provide an extended life to the concrete slab.

COMPLIANCES:

ASTM C-309, Type I, Class B (Moisture Retention Requirements on Hard Troweled Concrete)

USDA Compliant

VOC Content Regulations from LADCO, OTC, & the EPA

PACKAGING:

5 Gallon Pails

55-Gallon Drums

PRECAUTIONS:

Protect Silicure from freezing. If it does freeze, allow to thaw. Stir or agitate uniformly before using. Do not apply if the temperature is less than 40oF. Prevent Silicure from into contact with glass, brick, aluminum, painted surfaces, or other glazed surfaces. Not recommended over colored concrete surfaces.

MANUFACTURER INFORMATION

MANUFACTURER: Kaufman Products, Inc.
ADDRESS: 3811 Curtis Avenue
 Baltimore, Maryland 21226
COUNTRY: United States

WEBSITE: www.kaufmanproducts.net
CONTACT NAME: Alex Kaufman
TITLE: President
PHONE: 4103548600
EMAIL: akaufman@kaufmanproducts.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

| |
|---|
| PreC Pre-consumer recycled content |
| PostC Post-consumer recycled content |
| UNK Inclusion of recycled content is unknown |
| None Does not include recycled content |

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

| |
|---|
| Nested Method / Material Threshold Substances listed within each material per threshold indicated per material |
| Nested Method / Product Threshold Substances listed within each material per threshold indicated per product |
| Basic Method / Product Threshold Substances listed individually per threshold indicated per product |

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this

