



Product Description

SurePox Mortar is a pre-measured, three-component, multi-purpose epoxy mortar kit. All the ingredients you need are individually packaged inside a 5-gallon pail for easy mixing. SurePox Mortar is ideal for resurfacing and repairing concrete surfaces wherever a high strength, quick setting, and abrasion resistant surfaces is needed.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<div><div><input checked="" type="radio"/> Nested Materials Method</div><div><input type="radio"/> Basic Method</div></div>	<div><div><input checked="" type="radio"/> 100 ppm</div><div><input type="radio"/> 1,000 ppm</div><div><input type="radio"/> Per GHS SDS</div><div><input type="radio"/> Other</div></div>	<div><div>Completed in 12 of 12 Materials</div><div>Explanation(s) provided for Residuals/Impurities?<div><div><input checked="" type="radio"/> Yes</div><div><input type="radio"/> No</div></div></div></div>	<div><div>Characterized<div><div><input checked="" type="radio"/> Yes</div><div><input type="radio"/> No</div></div></div><div>Provided weight and role.</div><div>Screened<div><div><input checked="" type="radio"/> Yes</div><div><input type="radio"/> No</div></div></div><div>Provided screening results using HPDC-approved methods.</div><div>Identified<div><div><input checked="" type="radio"/> Yes</div><div><input type="radio"/> No</div></div></div><div>Provided name and CAS RN or other identifier.</div></div>
Threshold Disclosed Per			
<div><div><input type="radio"/> Material</div><div><input checked="" type="radio"/> Product</div></div>			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

AGGREGATE (PART C) [ QUARTZ BM-1\* ] CAN | MAM | GEN ] BINDER (PART A) [ BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 ] MUL | SKI | EYE | AQU ] CURING AGENT 1 (PART B) [ ADIPONITRILE LT-UNK ] MAM | SKI | EYE ] CATALYST (PART B) [ 4-NONYLPHENOL (BRANCHED) LT-1 ] END | MUL | PBT | SKI | AQU | REP | MAM | EYE ] DILUTENT (PART B) [ ((2-METHYLPHENOXY)METHYL)OXIRANE LT-P1 ] MUL | SKI | AQU | GEN | MAM ] SOLVENT 1 (PART B) [ (POLYETHYL)BENZENES BM-1 ] MUL | MAM | SKI | AQU ] INTERMEDIATE (PART A) [ N-BUTYL GLYCIDYL ETHER LT-1 ] CAN | SKI | MUL | GEN | MAM | EYE | AQU | REP ] CATALYST (PART A) [ 4-NONYLPHENOL (BRANCHED) LT-1 ] END | MUL | PBT | SKI | AQU | REP | MAM | EYE ] CURING AGENT 2 (PART B) [ DIAMINOPOLYPROPYLENE GLYCOL LT-UNK ] MUL | SKI | EYE | MAM ] SOLVENT (PART A) [ (POLYETHYL)BENZENES BM-1 ] MUL | MAM | SKI | AQU ] SOLVENT 2 (PART B) [ C13-14 ISOPARAFFIN BM-2 ] CAN | MAM | AQU ] ADDITIVE (PART B) [ 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK ]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <10 Regulatory (g/l): 100  
Does the product contain exempt VOCs: No  
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

Number of Greenscreen BM-4/BM3 contents ... 0  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested  
VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.  
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

☐ Yes

☒ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2023-12-19

PUBLISHED DATE: 2024-01-11

EXPIRY DATE: 2026-12-19

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

AGGREGATE (PART C)		%: 28.0000 - 35.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material	
RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.			
OTHER MATERIAL NOTES: None.			

QUARTZ				ID: 14808-60-7
HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2023-12-26 11:41:53</b>	
%: <b>99.0000</b>	GreenScreen: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Filler</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)**
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man**
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources**
CAN	IARC	Group 1 - Agent is Carcinogenic to humans**
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen**
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]**
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]**
CAN	GHS - New Zealand	Carcinogenicity category 1**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]**
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]**
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Per Pharos database: "Only a few elements can replace silicon in the quartz lattice (substitutional positions) or are small enough to occupy free spaces in the lattice (interstitial positions). In natural quartz crystals, the most common ones to replace Si are Al, Fe, Ge, and Ti, whereas Li, Na, Ca, Mg and Fe often occupy interstitial positions in the "c-channels"." [Mindat]

\*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

BINDER (PART A)		%: 25.0000 - 30.0000	
PRODUCT THRESHOLD: 100 ppm		RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentages are show in a range to protect the actual formulation.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2023-12-26 11:26:32**

%: **100.0000**

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above 100 ppm.

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The manufacturer maintains rigorous intellectual property rights over this additive.

ADIPONITRILE

ID: 111-69-3

HAZARD DATA SOURCE:  Pharos Chemical and Materials Library			HAZARD SCREENING DATE:  2023-12-26 12:05:38		
%: 99.0000	GreenScreen: LT-UNK	RC: PreC	NANO: No	SUBSTANCE ROLE: Intermediate	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
MAM	US EPA - EPCRA Extremely Hazardous Substances		Extremely Hazardous Substances		
SKI	GHS - New Zealand		Skin irritation category 2		
EYE	GHS - New Zealand		Eye irritation category 2		
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
MAM	GHS - New Zealand		Acute inhalation toxicity category 3		
MAM	GHS - Japan		H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]		
MAM	GHS - New Zealand		Acute oral toxicity category 3		
MAM	GHS - Japan		H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List		
			Some Solvents		
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List		
			Certain Metals		

SUBSTANCE NOTES: The complex combination of hydrocarbons produced by the distillation of products from the hydrogenation of adiponitrile. It contains such compounds as 6-aminohexanamide, 6-aminohexanenitrile, bishexamethylenetriamine, 1,2-cyclohexanediamine, and decanediamines. [ChemicalBook].

It's important to note that the actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only. Since the given CAS RN does not appear on any HPD Priority Lists.

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: To protect confidentiality, percentages are shown in a range.

4-NONYLPHENOL (BRANCHED)

ID: 84852-15-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-12-26 11:51:33

%: 100.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action		
END	ChemSec - SIN List	Endocrine Disruption		
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Substance of Possible Concern		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
EYE	GHS - New Zealand	Serious eye damage category 1		
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]		
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1		
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		



AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	GHS - Korea	H361 - Suspected of damaging fertility or the unborn child [Reproductive toxicity - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
REP	GHS - Australia	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
END	EU - SVHC List	Equivalent Concern - Candidate List: endocrine disrupting properties cause probable serious effects to the environment or human health
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023  Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above 100 ppm.		

DILUTENT (PART B) %: 4.0000 - 6.0000

PRODUCT THRESHOLD: 100 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: To protect confidentiality, percentages are shown in a range.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-12-26 11:50:12

%: 100.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Diluent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
GEN	EU - Annex VI CMRs	Mutagen - Category 2
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List  Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above 100 ppm.

SOLVENT 1 (PART B)

%: 2.0000 - 5.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: None.

(POLYETHYL)BENZENES

ID: 64742-94-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-12-26 11:53:18

%: 100.0000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

SUBSTANCE NOTES: This additive is covered under strict intellectual property rights.

INTERMEDIATE (PART A)

%: 2.0000 - 4.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Organic Compound

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

N-BUTYL GLYCIDYL ETHER

ID: 2426-08-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-12-26 11:37:02	
%: 100.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Intermediate
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization	
CAN	CA EPA - Prop 65		Carcinogen	
CAN	IARC		Group 2b - Possibly carcinogenic to humans	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
GEN	MAK		Germ Cell Mutagen 2	
CAN	GHS - Japan		H350 - May cause cancer [Carcinogenicity - Category 1B]	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
SKI	GHS - New Zealand		Skin irritation category 2	
EYE	GHS - New Zealand		Eye irritation category 2	
SKI	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
EYE	GHS - Australia		H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
GEN	GHS - Australia		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
GEN	GHS - Japan		H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]	
MAM	GHS - Japan		H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]	
CAN	EU - Annex VI CMRs		Carcinogen Category 2 - Suspected human Carcinogen	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 3	
SKI	GHS - New Zealand		Skin sensitisation category 1	
REP	GHS - New Zealand		Reproductive toxicity category 2	

REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
GEN	EU - Annex VI CMRs	Mutagen - Category 2
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
REP	GHS - Australia	H361f - Suspected of damaging fertility [Reproductive toxicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above 100 ppm.		

CATALYST (PART A) %: 1.0000 - 2.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Organic Compound
RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.		
OTHER MATERIAL NOTES: Percentages are shown in a range to protect the actual formulation.		

4-NONYLPHENOL (BRANCHED)		ID: 84852-15-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2023-12-26 11:38:33	
%: 100.0000	GreenScreen: LT-1	RC: None
	NANO: No	SUBSTANCE ROLE: Catalyst
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Chemical for Priority Action
END	ChemSec - SIN List	Endocrine Disruption
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	PBT - Substance of Possible Concern
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Serious eye damage category 1
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
REP	GHS - Korea	H361 - Suspected of damaging fertility or the unborn child [Reproductive toxicity - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]

REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 2
REP	GHS - Australia	H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
END	EU - SVHC List	Equivalent Concern - Candidate List: endocrine disrupting properties cause probable serious effects to the environment or human health
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2023  Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES: This additive is covered under strict intellectual property rights.		

CURING AGENT 2 (PART B)

%: 1.0000 - 2.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: None.



HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2023-12-26 12:15:15</b>	
%: <b>100.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Curing agent</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKI	GHS - New Zealand	Skin corrosion category 1C		
EYE	GHS - New Zealand	Serious eye damage category 1		
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
MAM	GHS - New Zealand	Acute dermal toxicity category 3		
MAM	GHS - New Zealand	Acute oral toxicity category 3		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Per the Pharos database, no residuals or impurities are available for this chemical substance.				

SOLVENT (PART A)

%: 0.1000 - 1.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.		
OTHER MATERIAL NOTES: None.		

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>			HAZARD SCREENING DATE: <b>2023-12-26 11:40:01</b>	
%: <b>100.0000</b>	GreenScreen: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Solvent</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1		H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
SKI	GHS - Japan		H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]	
AQU	GHS - Japan		H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]	
AQU	GHS - Japan		H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Some Solvents	
SUBSTANCE NOTES: No residuals or impurities at or above 100 ppm.				

SOLVENT 2 (PART B)

%: 0.1000 - 1.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Other: Organic Compound
RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.		
OTHER MATERIAL NOTES:		

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2023-12-26 11:54:56</b>		
%: <b>99.0000</b>	GreenScreen: <b>BM-2</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Solvent</b>
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1		H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]	
AQU	GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]	
AQU	GHS - Japan		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Some Solvents	
SUBSTANCE NOTES: Residuals or impurities are quantitatively measured and listed in this HPD when greater than or equal to 100 ppm.				

ADDITIVE (PART B)

%: 0.1000 - 1.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.		
OTHER MATERIAL NOTES:		

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-12-26 11:59:02

%: 99.0000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Coating

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. It's important to note that the actual material used may not necessarily match the exact ingredients listed. This information is intended for screening purposes only.

### Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-01-09 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore, MD, USA	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

VOC CONTENT	MAS Certified Green - VOC Content	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-01-09 00:00:00	CERTIFIER OR LAB:
APPLICABLE FACILITIES: 3811 Curtis Avenue, Baltimore, MD, USA	EXPIRY DATE:	kaufmanproducts
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:	This is not MAS Green Certification. The VOC content is self-declared, utilizing the self-calculation method outlined by the United States Environmental Protection Agency (US EPA) and the South Coast Air Quality Management District (SCAQMD).	

### Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

### Section 5: General Notes

APPLICATIONS

Resurfacing

Commercial Floors

Industrial Maintenance

Loading Docks

Warehouse Floors

COMPLIANCES

ASTM C-881, Types I and II, Grade 1, Class C

AASHTO M-235, Types I and 11, Grade 1, Class C

USDA Approved

PACKAGING

0.40 ft3 unit

One unit consists of a heavy-duty metal pail, containing sufficient liquid epoxy and special aggregates to yield 20 ft2 at ¼” thick. Extra epoxy included to properly prime up to 20 ft2.

Shelf Life: Two years minimum at room temperature.

## MANUFACTURER INFORMATION

MANUFACTURER: **Kaufman Products, Inc.**  
ADDRESS: **3811 Curtis Avenue**  
**Baltimore, Maryland 21226**  
COUNTRY: **United States**

WEBSITE: **kaufmanproducts.net**  
CONTACT NAME: **Alex Kaufman**  
TITLE: **President**  
PHONE: **4103548600**  
EMAIL: **akaufman@kaufmanproducts.net**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

<b>PreC</b> Pre-consumer recycled content
<b>PostC</b> Post-consumer recycled content
<b>UNK</b> Inclusion of recycled content is unknown
<b>None</b> Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

<b>Nested Method / Material Threshold</b>	Substances listed within each material per threshold indicated per material
<b>Nested Method / Product Threshold</b>	Substances listed within each material per threshold indicated per product
<b>Basic Method / Product Threshold</b>	Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

