



Product Description

Thinfilm represents a line of high quality, concrete curing compounds specially designed for both highways and commercial construction. These curing compounds form a thin membrane when sprayed or brushed on freshly finished concrete surfaces. Kaufman Products now further develops these products by emulsifying them into a low VOC formula for a safer atmosphere.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method	<input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other	Completed in 5 of 5 Materials  Explanation(s) provided for Residuals/Impurities? <input checked="" type="radio"/> Yes <input type="radio"/> No	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No  Provided weight and role.  Screened <input checked="" type="radio"/> Yes <input type="radio"/> No  Provided screening results using HPDC-approved methods.  Identified <input checked="" type="radio"/> Yes <input type="radio"/> No  Provided name and CAS RN or other identifier.
Threshold Disclosed Per  <input type="radio"/> Material <input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE  
SOLVENT [ WATER BM-4 SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | END | MAM METHYL ALCOHOL BM-1 | END | DEV | MUL | REP | PHY | MAM | EYE ] ADDITIVE [ POLY(ALPHA-METHYLSTYRENE) LT-UNK ] PIGMENT [ TITANIUM DIOXIDE LT-1 | CAN | END | MAM ] FILLER [ BARIUM SULFATE BM-2 | CAN | MAM ] SURFACTANT [ TALL OIL FATTY ACID ]

Number of Greenscreen BM-4/BM3 contents ... 1  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1, BM-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <251 Regulatory (g/l): 350  
Does the product contain exempt VOCs: No  
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested  
VOC content: MAS Certified Green - VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- ☐ Yes  
☒ No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2023-07-13

PUBLISHED DATE: 2023-12-15  
EXPIRY DATE: 2026-07-13

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

SOLVENT	%: 70.0000 - 80.0000		
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Polymeric Material	
RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold by Quartz or Pharos databases are noted in this HPD. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.			
OTHER MATERIAL NOTES: Residuals or impurities are quantitatively measured and noted in this HPD when greater than or equal to 100 ppm.			

WATER				ID: 7732-18-5	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-07-13 1:35:18		
%: 90.0000 - 92.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Diluent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions		
			Exempted from REACH Annex IV listing due to intrinsic safety		
SUBSTANCE NOTES: No Residual or Impurities are available for this substance -Per the Pharos database.					

SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC				ID: 64742-88-7
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2023-07-13 1:35:19	
%: 6.0000 - 8.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals  Some Solvents
SUBSTANCE NOTES: No impurities at or above 100 ppm.		

METHYL ALCOHOL

ID: 67-56-1

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2023-07-13 1:35:19

%: 1.3000GreenScreen: BM-1RC: NoneNANO: NoSUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H370 - Causes damage to organs [Specific target organ toxicity - single exposure - Category 1]
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	GHS - New Zealand	Acute inhalation toxicity category 3
REP	GHS - New Zealand	Reproductive toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
PHY	GHS - Korea	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Malaysia	H300 - Fatal if swallowed [Acute toxicity (oral) - Category 1 or 2]
MAM	GHS - Malaysia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Malaysia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - New Zealand	Acute oral toxicity category 3
MAM	GHS - Korea	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	GHS - Korea	H370 - Causes damage to organs [Specific target organ toxicity - Single exposure - Category 1]
MAM	GHS - Malaysia	H370 - Causes damage to organs [Specific target organ toxicity - single exposure - Category 1]
MAM	GHS - Australia	H370 - Causes damage to organs [Specific target organ toxicity - single exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals  Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products

SUBSTANCE NOTES: No impurities at or above 100 ppm.

ADDITIVE

?: 10.0000 - 20.0000

PRODUCT THRESHOLD: 100 ppm    RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes    MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold by Quartz or Pharos databases are noted in this HPD. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentages are shown in a range to protect the actual formulation.

POLY(ALPHA-METHYLSTYRENE)

ID: 25014-31-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library    HAZARD SCREENING DATE: 2023-07-14 7:02:33

?: 100.0000    GreenScreen: LT-UNK    RC: None    NANO: No    SUBSTANCE ROLE: Polymer species

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The CAS RN for this substance has been undisclosed by the manufacturer for proprietary reasons. After research, this is the best available description of that substance based on PubChem and Pharos databases. The actual material may or may not contain this substance.

PIGMENT

?: 2.0000 - 5.0000

PRODUCT THRESHOLD: 100 ppm    RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes    MATERIAL TYPE: Geologically Derived Material

**RESIDUALS AND IMPURITIES NOTES:** Impurities listed above the threshold by Quartz or Pharos databases are noted in this HPD. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

**OTHER MATERIAL NOTES:** Percentages are shown in a range to protect the actual formulation.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2023-07-13 1:35:20

%: 99.0000

GreenScreen: LT-1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: Percentages >10% are used to disguise formulas covered as intellectual property.

FILLER

%: 1.0000 - 3.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold by Quartz or Pharos databases are noted in this HPD. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities.

OTHER MATERIAL NOTES: Percentages are shown in a range to protect the actual formulation.

BARIUM SULFATE

ID: 7727-43-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-07-13 1:35:20

%: 100.0000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products

SUBSTANCE NOTES: Medical-grade barium sulfate may be made by the reaction of barium carbonate or barium chloride with sulfuric acid. (Pharos database)

SURFACTANT

?: 1.0000 - 3.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold by Quartz or Pharos databases are noted in this HPD. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNET) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentages are shown in a range to protect the actual formulation.

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 100.0000	GreenScreen: Not Required	RC: UNK	NANO: No	MATERIAL ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Plant-based materials

INGREDIENT DESCRIPTION: Tall oil is a by-product mixture of saponified fatty acids (30%–60%), resin acids (40%–60%, including mostly abietic and pimaric acids), and unsaponifiabiles (5%–10%) derived from the wood extractives of softwoods.

MATERIAL CONTENT NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS		CDPH Standard Method - Not tested
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2023-07-15	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: This declaration or certification is not facility based.	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: The Standard Method for the Testing and Evaluation of Volatile Organic Chemical Emissions From Indoor Sources, is one of the most widely used standards to evaluate building and interior products for low chemical emissions.		
VOC CONTENT		MAS Certified Green - VOC Content
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2023-07-15	CERTIFIER OR LAB: Kaufman
APPLICABLE FACILITIES: This is not facility based declaration.	EXPIRY DATE:	Products
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: As per Safety Data Sheet (SDS) the VOC content is <251 grams/liter.		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

### APPLICATIONS:

All Thinfilm products may be used on curbs and gutters, sidewalks, driveways, bridge decks, super structures, and runways.

### PRECAUTIONS:

Resin based Thinfilm products are freeze/thaw stable. If allowed to freeze, thaw thoroughly before use. If using in the wintertime, bring product inside a day before use to thaw out.

### PACKAGING:

5 gallon pail  
55 gallon drum  
275 gallon tote

## MANUFACTURER INFORMATION

**MANUFACTURER:** Kaufman Products, Inc.  
**ADDRESS:** 3811 Curtis Avenue  
 Baltimore, Maryland 21226  
**COUNTRY:** United States

**WEBSITE:** [www.kaufmanproducts.net](http://www.kaufmanproducts.net)  
**CONTACT NAME:** Alex Kaufman  
**TITLE:** President  
**PHONE:** 4103548600  
**EMAIL:** [akaufman@kaufmanproducts.net](mailto:akaufman@kaufmanproducts.net)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

### Recycled Types

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

